



Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Certificate

Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works
P.O. Box 3546
Seattle, WA 98124
ATTN: Raphael Acholonu

LABORATORY NO. 19490

DATE: Nov. 30, 1989

PO# M12524

REPORT ON: MATERIAL

SAMPLE

IDENTIFICATION: Submitted 11/17/89 and identified as shown below:

11-17-3200-M12524 Floor Sweeping Gore Area

TESTS PERFORMED AND RESULTS:

Sample was analyzed for E.P. Toxicity in accordance with Test Methods for Evaluating Solid Waste (SW 846), U.S. E.P.A, November, 1986. Extraction was performed using Method 1310. Mercury was determined using Method 7470, other metals were performed by ICAP, Method 6010.

parts per million (mg/L)

<u>Sample</u>	<u>MCL</u>
Arsenic	<0.2
Barium	0.5
Cadmium	<0.1
Chromium	<0.1
Lead	<0.1
Mercury	<0.005
Selenium	<0.2
Silver	<0.1

Comment

Due to insufficient sample, less than the required 100 gm weight was extracted, proportionally.

Sample size extracted: 95.



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.



Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Certificate

Chemistry, Microbiology, and Technical Services

Alaskan Copper Works

PAGE NO. 2

LABORATORY NO. 19490

Key

< = Less than

MCL = Maximum Contamination Level allowed per regulation.

Respectfully submitted,

Laucks Testing Laboratories, Inc.

J. M. Owens

JMO:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0021234